

University of Groningen

Ascending projections from spinal cord and brainstem to periaqueductal gray and thalamus

Klop, Esther Marije

IMPORTANT NOTE: You are advised to consult the publisher's version (publisher's PDF) if you wish to cite from it. Please check the document version below.

Document Version

Publisher's PDF, also known as Version of record

Publication date:

2005

[Link to publication in University of Groningen/UMCG research database](#)

Citation for published version (APA):

Klop, E. M. (2005). *Ascending projections from spinal cord and brainstem to periaqueductal gray and thalamus*. s.n.

Copyright

Other than for strictly personal use, it is not permitted to download or to forward/distribute the text or part of it without the consent of the author(s) and/or copyright holder(s), unless the work is under an open content license (like Creative Commons).

The publication may also be distributed here under the terms of Article 25fa of the Dutch Copyright Act, indicated by the "Taverne" license. More information can be found on the University of Groningen website: <https://www.rug.nl/library/open-access/self-archiving-pure/taverne-amendment>.

Take-down policy

If you believe that this document breaches copyright please contact us providing details, and we will remove access to the work immediately and investigate your claim.

Downloaded from the University of Groningen/UMCG research database (Pure): <http://www.rug.nl/research/portal>. For technical reasons the number of authors shown on this cover page is limited to 10 maximum.

References

- Abercrombie M. 1946. Estimation of nuclear population from microtome sections. *Anat Record* 94:239-247.
- Akagi Y. 1978. The localization of the motor neurons innervating the extraocular muscles in the oculomotor nuclei of the cat and rabbit, using horseradish peroxidase. *J Comp Neurol* 181:745-761.
- An X, Bandler R, Ongur D, Price JL. 1998. Prefrontal cortical projections to longitudinal columns in the midbrain periaqueductal gray in macaque monkeys. *J Comp Neurol* 401:455-479.
- Andrew D, Craig AD. 2002a. Quantitative responses of spinothalamic lamina I neurones to graded mechanical stimulation in the cat. *J Physiol* 545:913-931.
- Andrew D, Craig AD. 2002b. Responses of spinothalamic lamina I neurons to maintained noxious mechanical stimulation in the cat. *J Neurophysiol* 87:1889-1901.
- Andrew D, Krout KE, Craig AD. 2003. Differentiation of lamina I spinomedullary and spinothalamic neurons in the cat. *J Comp Neurol* 458:257-271.
- Apkarian AV, Hodge CJ. 1989a. Primate spinothalamic pathways: I. A quantitative study of the cells of origin of the spinothalamic pathway. *J Comp Neurol* 288:447-473.
- Apkarian AV, Hodge CJ. 1989b. Primate spinothalamic pathways: II. The cells of origin of the dorsolateral and ventral spinothalamic pathways. *J Comp Neurol* 288:474-492.
- Appell PP, Behan M. 1990. Sources of subcortical GABAergic projections to the superior colliculus in the cat. *J Comp Neurol* 302:143-158.
- Athwal BS, Berkley KJ, Hussain I, Brennan A, Craggs M, Sakakibara R, Frackowiak RS, Fowler CJ. 2001. Brain responses to changes in bladder volume and urge to void in healthy men. *Brain* 124:369-377.
- Baleydier C, Magnin M. 1979. Afferent and efferent connections of the parabrachial nucleus in cat revealed by retrograde axonal transport of horseradish peroxidase. *Brain Res* 161:187-198.
- Bandler R, Carrive P, Depaulis A. 1991. Emerging principles of organization of the midbrain periaqueductal gray matter. In Depaulis A, Bandler R (ed): *The midbrain periaqueductal gray matter*. New York: Plenum Press, pp. 1-8.
- Bandler R, Depaulis A. 1991. Midbrain periaqueductal gray control of defensive behavior in the cat and the rat. In Depaulis A, Bandler R (ed): *The midbrain periaqueductal gray matter: functional, anatomical, and neurochemical organization*. New York: Plenum Press, pp. 175-198.
- Bandler R, Keay KA. 1996. Columnar organization in the midbrain periaqueductal gray and the integration of emotional expression. *Prog Brain Res* 107:285-300.
- Bandler R, Shipley MT. 1994. Columnar organization in the midbrain periaqueductal gray: modules for emotional expression? *Trends Neurosci* 17:379-389.
- Bandler R, Tork I. 1987. Midbrain periaqueductal grey region in the cat has afferent and efferent connections with solitary tract nuclei. *Neurosci Lett* 74:1-6.
- Barbaresi P, Conti F, Manzoni T. 1982. Periaqueductal grey projection to the ventrobasal complex in the cat: an horseradish peroxidase study. *Neurosci Lett* 30:205-209.
- Barbaresi P, Gazzanelli G, Malatesta M. 1998. GABA transporter-1 (GAT-1) immunoreactivity in the cat periaqueductal gray matter. *Neurosci Lett* 250:123-126.
- Barbaresi P, Gazzanelli G, Malatesta M. 2001. gamma-Aminobutyric acid transporters in the cat periaqueductal gray: a light and electron microscopic immunocytochemical study. *J Comp Neurol* 429:337-354.
- Basbaum AI, Fields HL. 1984. Endogenous pain control systems: brainstem spinal pathways and endorphin circuitry. *Annu Rev Neurosci* 7:309-338.
- Beitz AJ. 1982. The organization of afferent projections to the midbrain periaqueductal gray of the rat. *Neuroscience* 7:133-59.
- Beitz AJ. 1989. Possible origin of glutamatergic projections to the midbrain periaqueductal gray and deep layer of the superior colliculus of the rat. *Brain Res Bull* 23:25-35.
- Bennett GJ, Seltzer Z, Lu GW, Nishikawa N, Dubner R. 1983. The cells of origin of the dorsal column postsynaptic projection in the lumbosacral enlargements of cats and monkeys. *Somatosens Res* 1:131-149.
- Berk ML, Finkelstein JA. 1982. Efferent connections of the lateral hypothalamic area of the rat: an autoradiographic investigation. *Brain Res Bull* 8:511-526.

References

- Berkley KJ, Guilbaud G, Benoist JM, Gautron M. 1993. Responses of Neurons in and Near the Thalamic Ventrobasal Complex of the Rat to Stimulation of Uterus, Cervix, Vagina, Colon, and Skin. *J Neurophysiol* 69:557-568.
- Berman AL. 1968. The brainstem of the cat. A cytoarchitectonic atlas with stereotaxic coordinates. Madison: The university of Wisconsin Press.
- Berman AL, Jones EG. 1982. The thalamus and basal telencephalon of the cat. A cytoarchitectonic atlas with stereotaxic coordinates. Madison: The university of Wisconsin Press.
- Bernard JF, Besson JM. 1990. The spino(trigemino)pontoamygdaloid pathway: electrophysiological evidence for an involvement in pain processes. *J Neurophysiol* 63:473-490.
- Bernard JF, Bester H, Besson JM. 1996. Involvement of the spino-parabrachio -amygdaloid and -hypothalamic pathways in the autonomic and affective emotional aspects of pain. *Prog Brain Res* 107:243-255.
- Bernard JF, Dallel R, Raboisson P, Villanueva L, Le Bars D. 1995. Organization of the efferent projections from the spinal cervical enlargement to the parabrachial area and periaqueductal gray: a PHA-L study in the rat. *J Comp Neurol* 353:480-505.
- Besson JM, Chaouch A. 1987. Peripheral and spinal mechanisms of nociception. *Physiol Rev* 67:67-186.
- Besson JM, Fardin V, Oliveras JL. 1991. Analgesia produced by stimulation of the periaqueductal gray matter: true antinociceptive effects versus stress effects. In Depaulis A, Bandler R (ed): The midbrain periaqueductal gray matter. Functional, anatomical, and neurochemical organization. New York: Plenum Press, pp. 121-138.
- Bester H, Chapman V, Besson JM, Bernard JF. 2000. Physiological properties of the lamina I spinoparabrachial neurons in the rat. *J Neurophysiol* 83:2239-2259.
- Bester H, Menendez L, Besson JM, Bernard JF. 1995. Spino (trigemino) parabrachiohypothalamic pathway: electrophysiological evidence for an involvement in pain processes. *J Neurophysiol* 73:568-585.
- Billig I, Foris JM, Card JP, Yates BJ. 1999. Transneuronal tracing of neural pathways controlling an abdominal muscle, rectus abdominis, in the ferret. *Brain Res* 820:31-44.
- Bjorkeland M, Boivie J. 1984. The termination of spinomesencephalic fibers in cat. An experimental anatomical study. *Anat Embryol (Berl)* 170:265-277.
- Blanks RH, Precht W, Torigoe Y. 1983. Afferent projections to the cerebellar flocculus in the pigmented rat demonstrated by retrograde transport of horseradish peroxidase. *Exp Brain Res* 52:293-306.
- Blessing WW, Frost P, Furness JB. 1980. Catecholamine cell groups of the cat medulla oblongata. *Brain Res* 192:69-75.
- Blok BF, de Weerd H, Holstege G. 1995. Ultrastructural evidence for a paucity of projections from the lumbosacral cord to the pontine micturition center or M-region in the cat: a new concept for the organization of the micturition reflex with the periaqueductal gray as central relay. *J Comp Neurol* 359:300-309.
- Blok BF, Holstege G. 1994. Direct projections from the periaqueductal gray to the pontine micturition center (M-region). An anterograde and retrograde tracing study in the cat. *Neurosci Lett* 166:93-96.
- Blok BF, Holstege G. 1996. The neuronal control of micturition and its relation to the emotional motor system. *Prog Brain Res* 107:113-126.
- Boers J, Holstege G. 1999. Evidence for direct projections from the nucleus retroambiguus to the motoneurons of the external oblique in the female cat. *Soc Neurosci Abstr*.
- Boivie J. 1971. The termination of the spinothalamic tract in the cat. An experimental study with silver impregnation methods. *Exp Brain Res* 112:331-353.
- Bourgeois L, Monconduit L, Villanueva L, Bernard JF. 2001. Parabrachial internal lateral neurons convey nociceptive messages from the deep laminae of the dorsal horn to the intralaminar thalamus. *J Neurosci* 21:2159-2165.
- Brodal A. 1983. The perihypoglossal nuclei in the macaque monkey and the chimpanzee. *J Comp Neurol* 218:257-269.
- Brodal A, Brodal P. 1983. Observations on the projection from the perihypoglossal nuclei onto the cerebellum in the macaque monkey. *Arch Ital Biol* 121:151-166.
- Brown PB, Koerber HR, Millecchia R. 2004. From innervation density to tactile acuity: 1. Spatial representation. *Brain Res* 1011:14-32.

- Bruggemann J, Shi T, Apkarian AV. 1994. Squirrel monkey lateral thalamus. II. Viscerosomatic convergent representation of urinary bladder, colon, and esophagus. *J Neurosci* 14:6796-6814.
- Bruggemann J, Vahle-Hinz C, Kniffki KD. 1993. Representation of the urinary bladder in the lateral thalamus of the cat. *J Neurophysiol* 70:482-491.
- Burstein R, Cliffer KD, Giesler GJ, Jr. 1990a. Cells of origin of the spinothalamic tract in the rat. *J Comp Neurol* 291:329-344.
- Burstein R, Dado RJ, Giesler GJ, Jr. 1990b. The cells of origin of the spinothalamic tract of the rat: a quantitative reexamination. *Brain Res* 511:329-337.
- Canteras NS, Simerly RB, Swanson LW. 1994. Organization of projections from the ventromedial nucleus of the hypothalamus: a Phaseolus vulgaris-leucoagglutinin study in the rat. *J Comp Neurol* 348:41-79.
- Canteras NS, Goto M. 1999. Connections of the precommissural nucleus. *J Comp Neurol* 408:23-45.
- Carrive P. 1993. The periaqueductal gray and defensive behavior: functional representation and neuronal organization. *Behav Brain Res* 58:27-47.
- Carrive P, Morgan MM. 2004. Periaqueductal gray. In Paxinos G, Mai JK (ed): The human nervous system. San Diego: Elsevier Academic Press, pp. 393-423.
- Carrive P, Paxinos G. 1994. The supraoculomotor cap: a region revealed by NADPH diaphorase histochemistry. *Neuroreport* 5:2257-2260.
- Carstens E, Leah J, Lechner J, Zimmermann M. 1990. Demonstration of extensive brainstem projections to medial and lateral thalamus and hypothalamus in the rat. *Neuroscience* 35:609-626.
- Carstens E, Trevino DL. 1978a. Anatomical and physiological properties of ipsilaterally projecting spinothalamic neurons in the second cervical segment of the cat's spinal cord. *J Comp Neurol* 182:167-184.
- Carstens E, Trevino DL. 1978b. Laminar origins of spinothalamic projections in the cat as determined by the retrograde transport of horseradish peroxidase. *J Comp Neurol* 182:161-165.
- Cechetto DF, Saper CB. 1987. Evidence for a viscerotopic sensory representation in the cortex and thalamus in the rat. *J Comp Neurol* 262:27-45.
- Chandler MJ, Hobbs SF, Fu QG, Kenshalo DR, Jr., Blair RW, Foreman RD. 1992. Responses of neurons in ventroposterolateral nucleus of primate thalamus to urinary bladder distension. *Brain Res* 571:26-34.
- Cheron G, Mettens P, Godaux E. 1992. Gaze holding defect induced by injections of ketamine in the cat brainstem. *Neuroreport* 3:97-100.
- Coggeshall RE, Lekan HA. 1996. Methods for determining numbers of cells and synapses: a case for more uniform standards of review. *J Comp Neurol* 364:6-15.
- Comans PE, Snow PJ. 1981. Rostrocaudal and laminar distribution of spinothalamic neurons in the high cervical spinal cord of the cat. *Brain Res* 223:123-127.
- Conti F, Barbaresi P, Fabri M. 1988. Cytochrome oxidase histochemistry reveals regional subdivisions in the rat periaqueductal gray matter. *Neuroscience* 24:629-633.
- Corvisier J, Hardy O. 1997. Topographical characteristics of prepositio-collicular projections in the cat as revealed by Phaseolus vulgaris-leucoagglutinin technique. A possible organisation underlying temporal-to-spatial transformations. *Exp Brain Res* 114:461-471.
- Cowan WM, Gottlieb DI, Hendrickson AE, Price JL, Woolsey TA. 1972. The autoradiographic demonstration of axonal connections in the central nervous system. *Brain Res* 37:21-51.
- Cowie RJ, Holstege G. 1992. Dorsal mesencephalic projections to pons, medulla, and spinal cord in the cat: limbic and non-limbic components. *J Comp Neurol* 319:536-59.
- Craig AD. 1978. Spinal and medullary input to the lateral cervical nucleus. *J Comp Neurol* 181:729-743.
- Craig AD. 1994. Spinal and supraspinal processing of specific pain and temperature. In Boivie J, Hansson P, Lindblom U (ed): Touch, temperature, and pain in health and disease: mechanisms and assessments. Seattle: IASP Press, pp. 421-437.
- Craig AD. 1995. Distribution of brainstem projections from spinal lamina I neurons in the cat and the monkey. *J Comp Neurol* 361:225-248.
- Craig AD. 2003a. A new view of pain as a homeostatic emotion. *Trends Neurosci* 26:303-307.
- Craig AD. 2003b. Distribution of trigeminothalamic and spinothalamic lamina I terminations in the cat. *Somatosens Mot Res* 20:209-222.

References

- Craig AD. 2003c. Pain mechanisms: labeled lines versus convergence in central processing. *Annu Rev Neurosci* 26:1-30.
- Craig AD, Burton H. 1985. The distribution and topographical organization in the thalamus of anterogradely-transported horseradish peroxidase after spinal injections in cat and raccoon. *Exp Brain Res* 58:227-254.
- Craig AD, Linington AJ, Kniffki KD. 1989a. Cells of origin of spinothalamic tract projections to the medial and lateral thalamus in the cat. *J Comp Neurol* 289:568-585.
- Craig AD, Linington AJ, Kniffki KD. 1989b. Significant differences in the retrograde labeling of spinothalamic tract cells by horseradish peroxidase and the fluorescent tracers fast blue and diaminidino yellow. *Exp Brain Res* 74:431-436.
- Cui H, Malpeli JG. 2003. Activity in the parabigeminal nucleus during eye movements directed at moving and stationary targets. *J Neurophysiol* 89:3128-3142.
- Davis PJ, Zhang SP. 1991. What is the Role of the Midbrain Periaqueductal Gray in Respiration and Vocalization? In R.Bandler AD (ed): *The Midbrain Periaqueductal Gray Matter*. New York: Plenum Press, pp. 57-
- Delgado-García JM, Vidal PP, Gomez C, Berthoz A. 1989. A neurophysiological study of prepositus hypoglossi neurons projecting to oculomotor and preoculomotor nuclei in the alert cat. *Neuroscience* 29:291-307.
- Derbyshire SW, Jones AK, Creed F, Starz T, Meltzer CC, Townsend DW, Peterson AM, Firestone L. 2002. Cerebral responses to noxious thermal stimulation in chronic low back pain patients and normal controls. *Neuroimage* 16:158-168.
- DeSalles AA, Katayama Y, Becker DP, Hayes RL. 1985. Pain suppression induced by electrical stimulation of the pontine parabrachial region. Experimental study in cats. *J Neurosurg* 62:397-407.
- Djouhri L, Brown AG, Short AD. 1995. Effects of upper cervical spinal cord stimulation on neurons in the lumbosacral enlargement of the cat: spinothalamic tract neurons. *Neuroscience* 68:1237-1246.
- Durmer JS, Rosenquist AC. 2001. Ibotenic acid lesions in the pedunculo-pontine region result in recovery of visual orienting in the hemianopic cat. *Neuroscience* 106:765-781.
- Edwards SB, Ginsburgh CL, Henkel CK, Stein BE. 1979. Sources of subcortical projections to the superior colliculus in the cat. *J Comp Neurol* 184:309-329.
- Enevoldson TP, Gordon G. 1989a. Postsynaptic dorsal column neurons in the cat: a study with retrograde transport of horseradish peroxidase. *Exp Brain Res* 75:611-620.
- Enevoldson TP, Gordon G. 1989b. Spinocervical neurons and dorsal horn neurons projecting to the dorsal column nuclei through the dorsolateral fascicle: a retrograde HRP study in the cat. *Exp Brain Res* 75:621-630.
- Ericson AC, Blomqvist A, Krout K, Craig AD. 1996. Fine structural organization of spinothalamic and trigeminothalamic lamina I terminations in the nucleus submedialis of the cat. *J Comp Neurol* 371:497-512.
- Ericson AC, Craig AD, Blomqvist A. 1997. GABA-like immunoreactivity in the thalamic nucleus submedialis of the cat. *Neuroscience* 76:491-502.
- Feldman JL, Loewy AD, Speck DF. 1985. Projections from the ventral respiratory group to phrenic and intercostal motoneurons in cat: an autoradiographic study. *J Neurosci* 5:1993-2000.
- Floyd NS, Price JL, Ferry AT, Keay KA, Bandler R. 2000. Orbitomedial prefrontal cortical projections to distinct longitudinal columns of the periaqueductal gray in the rat. *J Comp Neurol* 422:556-578.
- Freedman LJ, Insel TR, Smith Y. 2000. Subcortical projections of area 25 (subgenual cortex) of the macaque monkey. *J Comp Neurol* 421:172-188.
- Gacek RR. 1974. Localization of neurons supplying the extraocular muscles in the kitten using horseradish peroxidase. *Exp Neurol* 44:381-403.
- Galhardo V, Lima D. 1999. Structural characterization of marginal (lamina I) spinal cord neurons in the cat: a Golgi study. *J Comp Neurol* 414:315-333.
- Gauriau C, Bernard JF. 2002. Pain pathways and parabrachial circuits in the rat. *Exp Physiol* 87:251-258.
- Gerrits NM, Voogd J. 1986. The nucleus reticularis tegmenti pontis and the adjacent rostral paramedian reticular formation: differential projections to the cerebellum and the caudal brain stem. *Exp Brain Res* 62:29-45.

- Gerrits PO, Croon DH, Holstege G. 1993. A new subdivision of the rat midbrain periaqueductal gray based on its myeloarchitecture. *Neurosci Lett* 161:232-236.
- Gerrits PO, Holstege G. 1999. Descending projections from the nucleus retroambiguus to the iliopsoas motoneuronal cell groups in the female golden hamster: possible role in reproductive behavior. *J Comp Neurol* 403:219-228.
- Gerrits PO, Vodde C, Holstege G. 2000. Retroambiguus projections to the cutaneous trunci motoneurons may form a pathway in the central control of mating. *J Neurophysiol* 83:3076-3083.
- Getz B. 1952. The termination of spinothalamic fibres in the cat as studied by the method of terminal degeneration. *Acta Anat (Basel)* 16:271-290.
- Gibson AR, Hansma DI, Houk JC, Robinson FR. 1984. A sensitive low artifact TMB procedure for the demonstration of WGA-HRP in the CNS. *Brain Res* 298:235-241.
- Giesler GJ, Jr., Menetrey D, Basbaum AI. 1979. Differential origins of spinothalamic tract projections to medial and lateral thalamus in the rat. *J Comp Neurol* 184:107-126.
- Giesler GJ, Jr., Yezierski RP, Gerhart KD, Willis WD. 1981. Spinothalamic tract neurons that project to medial and/or lateral thalamic nuclei: evidence for a physiologically novel population of spinal cord neurons. *J Neurophysiol* 46:1285-1308.
- Gobel S, Hockfield S. 1997. The division of the dorsal and ventral horns of the mammalian caudal medulla into eight layers using anatomical criteria. In Anderson DJ, Matthews B (ed): *Pain in the trigeminal region*. Amsterdam: Elsevier, pp. 443-453.
- Grant G, Wiksten B, Berkley KJ, Aldskogius H. 1982. The location of cerebellar-projecting neurons within the lumbosacral spinal cord in the cat. An anatomical study with HRP and retrograde chromatolysis. *J Comp Neurol* 204:336-348.
- Granum SL. 1986. The spinothalamic system of the rat. I. Locations of cells of origin. *J Comp Neurol* 247:159-180.
- Graybiel AM. 1978. A satellite system of the superior colliculus: the parabigeminal nucleus and its projections to the superficial collicular layers. *Brain Res* 145:365-374.
- Graybiel AM, Illing RB. 1994. Enkephalin-positive and acetylcholinesterase-positive patch systems in the superior colliculus have matching distributions but distinct developmental histories. *J Comp Neurol* 340:297-310.
- Grill WM, Wang B, Hadziefendic S, Haxhiu MA. 1998. Identification of the spinal neural network involved in coordination of micturition in the male cat. *Brain Res* 796:150-160.
- Gundlach AL. 1991. Regional subdivisions in the midbrain periaqueductal gray of the cat revealed by in vitro receptor autoradiography. In Depaulis A, Bandler R (ed): *The midbrain periaqueductal gray matter: functional, anatomical, and neurochemical organization*. New York: Plenum Press, pp. 449-464.
- Han ZS, Zhang ET, Craig AD. 1998. Nociceptive and thermoreceptive lamina I neurons are anatomically distinct. *Nat Neurosci* 1:218-225.
- Hardy O, Corvisier J. 1991. GABA and non-GABA immunostained neurones in the nucleus prepositus and the periparabigeminal area projecting to the guinea pig superior colliculus. *Neurosci Lett* 127:99-104.
- Hardy O, Corvisier J. 1996. Firing properties of preposito-collicular neurones related to horizontal eye movements in the alert cat. *Exp Brain Res* 110:413-424.
- Hardy O, Mirenowicz J. 1991. Transient increase of contraversive saccade parameters following kainic acid injection in the periparabigeminal area of guinea pig. *Exp Brain Res* 85:616-620.
- Hardy SG, Leichnetz GR. 1981. Cortical projections to the periaqueductal gray in the monkey: a retrograde and orthograde horseradish peroxidase study. *Neurosci Lett* 22:97-101.
- Harting JK, Huerta MF, Hashikawa T, Weber JT, Van Lieshout DP. 1988. Neuroanatomical studies of the nigrotectal projection in the cat. *J Comp Neurol* 278:615-631.
- Harting JK, Van Lieshout DP. 1991. Spatial relationships of axons arising from the substantia nigra, spinal trigeminal nucleus, and pedunculopontine tegmental nucleus within the intermediate gray of the cat superior colliculus. *J Comp Neurol* 305:543-558.
- Herbert H, Saper CB. 1992. Organization of medullary adrenergic and noradrenergic projections to the periaqueductal gray matter in the rat. *J Comp Neurol* 315:34-52.
- Hirata K, Koyama N, Minami T. 1995. The effects of clonidine and tizanidine on responses of nociceptive neurons in nucleus ventralis posterolateralis of the cat thalamus. *Anesth Analg* 81:259-264.
- Hodge CJ, Apkarian AV. 1990. The spinothalamic tract. *Crit Rev Neurobiol* 5:363-397.

References

- Holstege G. 1987. Some anatomical observations on the projections from the hypothalamus to brainstem and spinal cord: an HRP and autoradiographic tracing study in the cat. *J Comp Neurol* 260:98-126.
- Holstege G. 1989. Anatomical study of the final common pathway for vocalization in the cat. *J Comp Neurol* 284:242-252.
- Holstege G. 1997. Emotional motor system. In Dulbecco R (ed): *Encyclopedia of human biology*. San Diego: Academic Press, pp. 643-660.
- Holstege G, Kuypers HG. 1982. The anatomy of brain stem pathways to the spinal cord in cat. A labeled amino acid tracing study. *Prog Brain Res* 57:145-75.
- Holstege G, Kuypers HG, Boer RC. 1979. Anatomical evidence for direct brain stem projections to the somatic motoneuronal cell groups and autonomic preganglionic cell groups in cat spinal cord. *Brain Res* 171:329-333.
- Holstege G, Kuypers HG, Dekker JJ. 1977. The organization of the bulbar fibre connections to the trigeminal, facial and hypoglossal motor nuclei. II. An autoradiographic tracing study in cat. *Brain* 100:264-286.
- Holstege G, Meiners L, Tan K. 1985. Projections of the bed nucleus of the stria terminalis to the mesencephalon, pons, and medulla oblongata in the cat. *Exp Brain Res* 58:379-391.
- Holstege G, Mouton LJ, Gerrits PO. 2004. Emotional Motor System. In Paxinos G, Mai JK (ed): *The human nervous system*. London: Elsevier Academic Press, pp. 1306-1324.
- Hopkins DA, Holstege G. 1978. Amygdaloid projections to the mesencephalon, pons and medulla oblongata in the cat. *Exp Brain Res* 32:529-547.
- Hsieh JC, Stahle-Backdahl M, Hagermark O, Stone-Elander S, Rosenquist G, Ingvar M. 1996. Traumatic nociceptive pain activates the hypothalamus and the periaqueductal gray: a positron emission tomography study. *Pain* 64:303-314.
- Hylden JL, Anton F, Nahin RL. 1989. Spinal lamina I projection neurons in the rat: collateral innervation of parabrachial area and thalamus. *Neuroscience* 28:27-37.
- Hylden JL, Hayashi H, Dubner R, Bennett GJ. 1986. Physiology and morphology of the lamina I spinomesencephalic projection. *J Comp Neurol* 247:505-515.
- Illing RB, Graybiel AM. 1986. Complementary and non-matching afferent compartments in the cat's superior colliculus: innervation of the acetylcholinesterase-poor domain of the intermediate gray layer. *Neuroscience* 18:373-394.
- Jiang ZD, King AJ, Moore DR. 1996. Topographic organization of projection from the parabrachial nucleus to the superior colliculus in the ferret revealed with fluorescent latex microspheres. *Brain Res* 743:217-232.
- Jiang ZD, Moore DR, King AJ. 1997. Sources of subcortical projections to the superior colliculus in the ferret. *Brain Res* 755:279-292.
- Jones BE, Friedman L. 1983. Atlas of catecholamine perikarya, varicosities and pathways in the brainstem of the cat. *J Comp Neurol* 215:382-396.
- Jurgens U. 1994. The role of the periaqueductal grey in vocal behaviour. *Behav Brain Res* 62:107-117.
- Jurgens U, Lu CL. 1993. Interactions between glutamate, GABA, acetylcholine and histamine in the periaqueductal gray's control of vocalization in the squirrel monkey. *Neurosci Lett* 152:5-8.
- Jurgens U, Pratt R. 1979. Role of the periaqueductal grey in vocal expression of emotion. *Brain Res* 167:367-378.
- Kanai T, Wang SC. 1962. Localization of the central vocalization mechanism in the brain stem of the cat. *Exp Neurol* 6:426-434.
- Kase M, Nagata R, Kato M. 1986. Saccade-related activity of periaqueductal gray matter of the monkey. *Invest Ophthalmol Vis Sci* 27:1165-1169.
- Katayama Y, Tsubokawa T, Hirayama T, Yamamoto T. 1985. Pain relief following stimulation of the pontomesencephalic parabrachial region in humans: brain sites for nonopioid-mediated pain control. *Appl Neurophysiol* 48:195-200.
- Katayama Y, Tsubokawa T, Maejima S, Yamamoto T. 1986. Responses of raphe-spinal neurons to stimulation of the pontine parabrachial region producing behavioral nociceptive suppression in the cat. *Appl Neurophysiol* 49:112-120.
- Katter JT, Burstein R, Giesler GJ, Jr. 1991. The cells of origin of the spinohypothalamic tract in cats. *J Comp Neurol* 303:101-112.

- Keay KA, Bandler R. 1992. Anatomical evidence for segregated input from the upper cervical spinal cord to functionally distinct regions of the periaqueductal gray region of the cat. *Neurosci Lett* 139:143-148.
- Keay KA, Bandler R. 2001. Parallel circuits mediating distinct emotional coping reactions to different types of stress. *Neurosci Biobehav Rev* 25:669-678.
- Keay KA, Clement CI, Depaulis A, Bandler R. 2001. Different representations of inescapable noxious stimuli in the periaqueductal gray and upper cervical spinal cord of freely moving rats. *Neurosci Lett* 313:17-20.
- Keay KA, Feil K, Gordon BD, Herbert H, Bandler R. 1997. Spinal afferents to functionally distinct periaqueductal gray columns in the rat: an anterograde and retrograde tracing study. *J Comp Neurol* 385:207-229.
- Kemplay SK, Webster KE. 1986. A qualitative and quantitative analysis of the distributions of cells in the spinal cord and spinomedullary junction projecting to the thalamus of the rat. *Neuroscience* 17:769-789.
- Kevetter GA, Willis WD. 1983. Collaterals of spinothalamic cells in the rat. *J Comp Neurol* 215:453-464.
- Kirkwood PA, Ford TW, Donga R, Saywell SA, Holstege G. 1999. Assessing the strengths of motoneuron inputs: different anatomical and physiological approaches compared. *Prog Brain Res* 123:67-82.
- Klop EM, Mouton LJ, Ehling T, Holstege G. 2005a. Two parts of nucleus prepositus hypoglossi project to two different subdivisions of the dorsolateral periaqueductal gray in cat. *J Comp Neurol* (in press).
- Klop EM, Mouton LJ, Holstege G. 2002. Nucleus retroambiguus projections to the periaqueductal gray in the cat. *J Comp Neurol* 445:47-58.
- Klop EM, Mouton LJ, Holstege G. 2004a. How many spinothalamic tract cells are there? A retrograde tracing study in cat. *Neurosci Lett* 360:121-124.
- Klop EM, Mouton LJ, Holstege G. 2004b. Less than 15% of the spinothalamic fibers originate from neurons in lamina I in cat. *Neurosci Lett* 360:125-128.
- Klop EM, Mouton LJ, Hulsebosch R, Boers J, Holstege G. 2005b. In cat four times as many lamina I neurons project to the parabrachial nuclei and twice as many to the periaqueductal gray as to the thalamus. *Neuroscience* 134:189-197.
- Klop EM, Mouton LJ, Kuipers R, Holstege G. 2005c. Neurons in the lateral sacral cord of the cat project to periaqueductal grey, but not to thalamus. *Eur J Neurosci* 21:2159-2166.
- Kotchabhakdi N, Hoddevik GH, Walberg F. 1978. Cerebellar afferent projections from the perihypoglossal nuclei: an experimental study with the method of retrograde axonal transport of horseradish peroxidase. *Exp Brain Res* 31:13-29.
- Kudo M, Tashiro T, Higo S, Matsuyama T, Kawamura S. 1984. Ascending projections from the nucleus of the brachium of the inferior colliculus in the cat. *Exp Brain Res* 54:203-211.
- Kupers RC, Gybels JM, Gjedde A. 2000. Positron emission tomography study of a chronic pain patient successfully treated with somatosensory thalamic stimulation. *Pain* 87:295-302.
- Langer T, Fuchs AF, Scudder CA, Chubb MC. 1985. Afferents to the flocculus of the cerebellum in the rhesus macaque as revealed by retrograde transport of horseradish peroxidase. *J Comp Neurol* 235:1-25.
- Larson CR. 1985. The midbrain periaqueductal gray: a brainstem structure involved in vocalization. *J Speech Hear Res* 28:241-9.
- Lee PH, Schmidt M, Hall WC. 2001. Excitatory and inhibitory circuitry in the superficial gray layer of the superior colliculus. *J Neurosci* 21:8145-8153.
- Leichnetz GR, Gonzalo-Ruiz A. 1996. Prearcuate cortex in the Cebus monkey has cortical and subcortical connections like the macaque frontal eye field and projects to fastigial-recipient oculomotor-related brainstem nuclei. *Brain Res Bull* 41:1-29.
- Li JL, Mizuno N. 1997. Parabrachial nucleus neurons providing axons to both the thalamus and the spinal cord in the rat. *Brain Res* 745:321-327.
- Liebeskind JC, Guilbaud G, Besson JM, Oliveras JL. 1973. Analgesia from electrical stimulation of the periaqueductal gray matter in the cat: behavioral observations and inhibitory effects on spinal cord interneurons. *Brain Res* 50:441-446.
- Light AR, Sedivec MJ, Casale EJ, Jones SL. 1993. Physiological and morphological characteristics of spinal neurons projecting to the parabrachial region of the cat. *Somatosens Mot Res* 10:309-325.

References

- Liu H, Chandler S, Beitz AJ, Shipley MT, Behbehani MM. 1994. Characterization of the effect of cholecystokinin (CCK) on neurons in the periaqueductal gray of the rat: immunocytochemical and in vivo and in vitro electrophysiological studies. *Brain Res* 642:83-94.
- Liu RP. 1986. Spinal neuronal collaterals to the intralaminar thalamic nuclei and periaqueductal gray. *Brain Res* 365:145-150.
- Loewy AD, Wallach JH, McKellar S. 1981. Efferent connections of the ventral medulla oblongata in the rat. *Brain Res* 228:63-80.
- Lovick TA. 1993. Integrated activity of cardiovascular and pain regulatory systems: role in adaptive behavioural responses. *Prog Neurobiol* 40:631-644.
- Lovick TA. 1996. Midbrain and medullary regulation of defensive cardiovascular functions. *Prog Brain Res* 107:301-313.
- Mantyh PW. 1982. The ascending input to the midbrain periaqueductal gray of the primate. *J Comp Neurol* 211:50-64.
- Mantyh PW. 1983a. The spinothalamic tract in the primate: a re-examination using wheatgerm agglutinin conjugated to horseradish peroxidase. *Neuroscience* 9:847-862.
- Mantyh PW. 1983b. The terminations of the spinothalamic tract in the cat. *Neurosci Lett* 38:119-124.
- Marchand JE, Hagino N. 1983. Afferents to the periaqueductal gray in the rat. A horseradish peroxidase study. *Neuroscience* 9:95-106.
- Matharu MS, Bartsch T, Ward N, Frackowiak RS, Weiner R, Goadsby PJ. 2004. Central neuromodulation in chronic migraine patients with suboccipital stimulators: a PET study. *Brain* 127:220-230.
- Matsushita M, Hosoya Y. 1982. Spinocerebellar projections to lobules III to V of the anterior lobe in the cat, as studied by retrograde transport of horseradish peroxidase. *J Comp Neurol* 208:127-143.
- Matsushita M, Hosoya Y, Ikeda M. 1979. Anatomical organization of the spinocerebellar system in the cat, as studied by retrograde transport of horseradish peroxidase. *J Comp Neurol* 184:81-106.
- Mayer DJ, Wolfe TL, Akil H, Carder B, Liebeskind JC. 1971. Analgesia from electrical stimulation in the brainstem of the rat. *Science* 174:1351-1354.
- McCrea RA. 1988. The nucleus prepositus. In Buttner-Ennever (ed): *Neuroanatomy of the oculomotor system*. London: Elsevier, pp. 203-223.
- McCrea RA, Baker R. 1985. Anatomical connections of the nucleus prepositus of the cat. *J Comp Neurol* 237:377-407.
- McHaffie JG, Beninato M, Stein BE, Spencer RF. 1991. Postnatal development of acetylcholinesterase in, and cholinergic projections to, the cat superior colliculus. *J Comp Neurol* 313:113-131.
- Mehler W. 1969. Some neurological species differences - A posteriori. *Ann N Y Acad Sci* 167:424-468.
- Meller ST, Dennis BJ. 1986. Afferent projections to the periaqueductal gray in the rabbit. *Neuroscience* 19:927-964.
- Menetrey D, Chaouch A, Binder D, Besson JM. 1982. The origin of the spinomesencephalic tract in the rat: an anatomical study using the retrograde transport of horseradish peroxidase. *J Comp Neurol* 206:193-207.
- Merrill EG. 1970. The lateral respiratory neurones of the medulla: their associations with nucleus ambiguus, nucleus retroambiguus, the spinal accessory nucleus and the spinal cord. *Brain Res* 24:11-28.
- Merrill EG. 1974. Finding a respiratory function for the medullary respiratory neurons. In Bellairs R, Gray EG (ed): *Essays on the nervous system*. Oxford: Clarendon Press, pp. 451-486.
- Merrill EG, Lipski J. 1987. Inputs to intercostal motoneurons from ventrolateral medullary respiratory neurons in the cat. *J Neurophysiol* 57:1837-1853.
- Mesulam MM. 1978. Tetramethyl benzidine for horseradish peroxidase neurohistochemistry: a non-carcinogenic blue reaction product with superior sensitivity for visualizing neural afferents and efferents. *J Histochem Cytochem* 26:106-117.
- Meyers DE, Snow PJ. 1982a. The morphology of physiologically identified deep spinothalamic tract cells in the lumbar spinal cord of the cat. *J Physiol* 329:373-388.
- Meyers DE, Snow PJ. 1982b. The responses to somatic stimuli of deep spinothalamic tract cells in the lumbar spinal cord of the cat. *J Physiol* 329:355-371.

- Miller AD, Ezure K, Suzuki I. 1985. Control of abdominal muscles by brain stem respiratory neurons in the cat. *J Neurophysiol* 54:155-167.
- Miller AD, Tan LK, Suzuki I. 1987. Control of abdominal and expiratory intercostal muscle activity during vomiting: role of ventral respiratory group expiratory neurons. *J Neurophysiol* 57:1854-1866.
- Milne RJ, Foreman RD, Giesler GJ, Jr., Willis WD. 1981. Convergence of cutaneous and pelvic visceral nociceptive inputs onto primate spinothalamic neurons. *Pain* 11:163-183.
- Milne RJ, Foreman RD, Willis WD. 1982. Responses of primate spinothalamic neurons located in the sacral intermediomedial gray (Stilling's nucleus) to proprioceptive input from the tail. *Brain Res* 234:227-236.
- Mizukawa K, Vincent SR, McGeer PL, McGeer EG. 1989. Distribution of reduced-nicotinamide-adenine-dinucleotide-phosphate diaphorase-positive cells and fibers in the cat central nervous system. *J Comp Neurol* 279:281-311.
- Moreno-Lopez B, Escudero M, Delgado-Garcia JM, Estrada C. 1996. Nitric oxide production by brain stem neurons is required for normal performance of eye movements in alert animals. *Neuron* 17:739-745.
- Morgan C, Nadelhaft I, De Groat WC. 1979. Location of bladder preganglionic neurons within the sacral parasympathetic nucleus of the cat. *Neurosci Lett* 14:189-194.
- Morgan C, Nadelhaft I, De Groat WC. 1981. The distribution of visceral primary afferents from the pelvic nerve to Lissauer's tract and the spinal gray matter and its relationship to the sacral parasympathetic nucleus. *J Comp Neurol* 201:415-440.
- Morrell JL, Pfaff DW. 1983. Retrograde HRP identification of neurons in the rhombencephalon and spinal cord of the rat that project to the dorsal mesencephalon. *Am J Anat* 167:229-240.
- Mott FW. 1892. Ascending degenerations resulting from lesions of the spinal cord in monkeys. *Brain* 15:215-229.
- Mott FW. 1895. Experimental enquiry upon the afferent tracts of the central nervous system of the monkey. *Brain* 18:1-20.
- Mouton LJ. 1999. Spinal efferents and afferents of the periaqueductal gray: possible role in pain, sex and micturition. Thesis. Amsterdam: Johan Enschede en Zonen.
- Mouton LJ, Holstege G. 1994. The periaqueductal gray in the cat projects to lamina VIII and the medial part of lamina VII throughout the length of the spinal cord. *Exp Brain Res* 101:253-264.
- Mouton LJ, VanderHorst VG, Holstege G. 1997. Large segmental differences in the spinal projections to the periaqueductal gray in the cat. *Neurosci Lett* 238:1-4.
- Mouton LJ, Holstege G. 1998. Three times as many lamina I neurons project to the periaqueductal gray than to the thalamus: a retrograde tracing study in the cat. *Neurosci Lett* 255:107-110.
- Mouton LJ, Holstege G. 2000. Segmental and laminar organization of the spinal neurons projecting to the periaqueductal gray (PAG) in the cat suggests the existence of at least five separate clusters of spino-PAG neurons. *J Comp Neurol* 428:389-410.
- Mouton LJ, Klop E, Holstege G. 2001. Lamina I-periaqueductal gray (PAG) projections represent only a limited part of the total spinal and caudal medullary input to the PAG in the cat. *Brain Res Bull* 54:167-174.
- Mouton LJ, Klop EM, Broman J, Zhang M, Holstege G. 2004. Lateral cervical nucleus projections to periaqueductal gray matter in cat. *J Comp Neurol* 471:434-445.
- Mouton LJ, Klop EM, Holstege G. 2005. C1-C3 spinal cord projections to periaqueductal gray and thalamus: A quantitative retrograde tracing study in cat. *Brain Res* 1043:87-94.
- Nadelhaft I, Roppolo J, Morgan C, De Groat WC. 1983. Parasympathetic preganglionic neurons and visceral primary afferents in monkey sacral spinal cord revealed following application of horseradish peroxidase to pelvic nerve. *J Comp Neurol* 216:36-52.
- Nishikawa Y, Yoshimoto H, Mori A, Mukunoki S, Kakudo K, Yoshida Y. 1999. Functional properties of nociceptive neurons in the nucleus centralis lateralis of the cat thalamus. *J Osaka Dent Univ* 33:65-73.
- Olszewski J, Baxter D. 1954. Cytoarchitecture of the human brain stem. Philadelphia: J.B. Lippincott.
- Panneton WM, Burton H. 1985. Projections from the paratrigeminal nucleus and the medullary and spinal dorsal horns to the peribrachial area in the cat. *Neuroscience* 15:779-797.

References

- Pechura CM, Liu RP. 1986. Spinal neurons which project to the periaqueductal gray and the medullary reticular formation via axon collaterals: a double-label fluorescence study in the rat. *Brain Res* 374:357-361.
- Perl ER. 1998. Getting a line on pain: is it mediated by dedicated pathways? *Nat Neurosci* 1:177-178.
- Perl ER, Whitlock DG. 1961. Somatic stimuli exciting spinothalamic projections to thalamic neurons in cat and monkey. *Exp Neurol* 3:256-296.
- Petrovic P, Ingvar M, Stone-Elander S, Petersson KM, Hansson P. 1999. A PET activation study of dynamic mechanical allodynia in patients with mononeuropathy. *Pain* 83:459-470.
- Pfaff DW, Schwartz-Giblin S, McCarthy M, Kow LM. 1994. Cellular and molecular mechanisms of female reproductive behaviors. In Knobil E, Neill JD (ed): *The physiology of reproduction*, vol 2. New York: Raven Press, pp. 107-220.
- Pritchard TC, Hamilton RB, Norgren R. 2000. Projections of the parabrachial nucleus in the old world monkey. *Exp Neurol* 165:101-117.
- Redgrave P, Dean P, Mitchell IJ, Odekunle A, Clark A. 1988. The projection from superior colliculus to cuneiform area in the rat. I. Anatomical studies. *Exp Brain Res* 72:611-625.
- Rexed B. 1954. A cytoarchitectonic atlas of the spinal cord in the cat. *J Comp Neurol* 100:297-379.
- Roeling TA, Veening JG, Kruk MR, Peters JP, Vermelis ME, Nieuwenhuys R. 1994. Efferent connections of the hypothalamic "aggression area" in the rat. *Neuroscience* 59:1001-1024.
- Roldan M, Reinoso-Suarez F, Tortelli A. 1983. Parabigeminal projections to the superior colliculus in the cat. *Brain Res* 280:1-13.
- Ruscheweyh R, Ikeda H, Heinke B, Sandkuhler J. 2003. Distinctive membrane and discharge properties of rat spinal lamina I projection neurones in vitro. *J Physiol* 555:527-543.
- Rustioni A. 1977. Spinal neurons project to the dorsal column nuclei of rhesus monkeys. *Science* 196:656-658.
- Rustioni A, Kaufman AB. 1977. Identification of cells or origin of non-primary afferents to the dorsal column nuclei of the cat. *Exp Brain Res* 27:1-14.
- Sakuma Y, Pfaff DW. 1979. Facilitation of female reproductive behavior from mesencephalic central gray in the rat. *Am J Physiol* 237:R278-R284.
- Sato Y, Kawasaki T, Ikarashi K. 1983. Afferent projections from the brainstem to the three floccular zones in cats. II. Mossy fiber projections. *Brain Res* 272:37-48.
- Sherk H. 1978. Visual response properties and visual field topography in the cat's parabigeminal nucleus. *Brain Res* 145:375-379.
- Sherk H. 1979a. A comparison of visual-response properties in cat's parabigeminal nucleus and superior colliculus. *J Neurophysiol* 42:1640-1655.
- Sherk H. 1979b. Connections and visual-field mapping in cat's tectoparabigeminal circuit. *J Neurophysiol* 42:1656-1668.
- Shiple MT, Ennis M, Rizvi TA, Behbehani MM. 1991. Topographical specificity of forebrain inputs to the midbrain periaqueductal gray: evidence for discrete longitudinally organized input columns. In Depaulis A, Bandler R (ed): *The midbrain periaqueductal gray matter: functional, anatomical, and neurochemical organization*. New York: Plenum Press, pp. 417-448.
- Singer T, Seymour B, O'Doherty J, Kaube H, Dolan RJ, Frith CD. 2004. Empathy for pain involves the affective but not sensory components of pain. *Science* 303:1157-1162.
- Spike RC, Puskas Z, Andrew D, Todd AJ. 2003. A quantitative and morphological study of projection neurons in lamina I of the rat lumbar spinal cord. *Eur J Neurosci* 18:2433-2448.
- Stanton GB, Goldberg ME, Bruce CJ. 1988. Frontal eye field efferents in the macaque monkey: II. Topography of terminal fields in midbrain and pons. *J Comp Neurol* 271:493-506.
- Taber E. 1961. The cytoarchitecture of the brain stem of the cat I. Brain stem nuclei of cat. *J Comp Neurol* 116:27-69.
- Tarlov E, Tarlov SR. 1971. The representation of extraocular muscles in the oculomotor nuclei: experimental studies in the cat. *Brain Res* 34:36-52.
- Thor KB, Morgan C, Nadelhaft I, Houston M, De Groat WC. 1989. Organization of afferent and efferent pathways in the pudendal nerve of the female cat. *J Comp Neurol* 288:263-279.
- Todd AJ, Puskas Z, Spike RC, Hughes C, Watt C, Forrest L. 2002. Projection neurons in lamina I of rat spinal cord with the neurokinin 1 receptor are selectively innervated by substance p-containing afferents and respond to noxious stimulation. *J Neurosci* 22:4103-4113.

- Tracey I, Ploghaus A, Gati JS, Clare S, Smith S, Menon RS, Matthews PM. 2002. Imaging attentional modulation of pain in the periaqueductal gray in humans. *J Neurosci* 22:2748-2752.
- Trevino DL. 1976. The origin and projections of a spinal nociceptive and thermoreceptive pathway. In Zotterman Y (ed): *Sensory functions of the skin in primates, with special reference to man*. Oxford: Pergamon Press, pp. 367-377.
- Trevino DL, Carstens E. 1975. Confirmation of the location of spinothalamic neurons in the cat and monkey by the retrograde transport of horseradish peroxidase. *Brain Res* 98:177-182.
- Trevino DL, Maunz RA, Bryan RN, Willis WD. 1972. Location of cells of origin of the spinothalamic tract in the lumbar enlargement of cat. *Exp Neurol* 34:64-77.
- Ueyama T, Mizuno N, Nomura S, Konishi A, Itoh K, Arakawa H. 1984. Central distribution of afferent and efferent components of the pudendal nerve in cat. *J Comp Neurol* 222:38-46.
- Van Dijken H. 2000. The dopaminergic innervation of the brain stem and spinal cord: an anatomical study on the distribution of the neurotransmitter dopamine and its D2 receptor. Thesis. p. 59-82.
- VanderHorst VG, Holstege G. 1995. Caudal medullary pathways to lumbosacral motoneuronal cell groups in the cat: evidence for direct projections possibly representing the final common pathway for lordosis. *J Comp Neurol* 359:457-475.
- VanderHorst VG, Holstege G. 1996. A concept for the final common pathway of vocalization and lordosis behavior in the cat. *Prog Brain Res* 107:327-342.
- VanderHorst VG, Mouton LJ, Blok BF, Holstege G. 1996. Distinct cell groups in the lumbosacral cord of the cat project to different areas in the periaqueductal gray. *J Comp Neurol* 376:361-385.
- VanderHorst VG, Terasawa E, Ralston HJ, III, Holstege G. 2000a. Monosynaptic projections from the lateral periaqueductal gray to the nucleus retroambiguus in the rhesus monkey: implications for vocalization and reproductive behavior. *J Comp Neurol* 424:251-268.
- VanderHorst VG, Terasawa E, Ralston HJ, III, Holstege G. 2000b. Monosynaptic projections from the nucleus retroambiguus to motoneurons supplying the abdominal wall, axial, hindlimb, and pelvic floor muscles in the female rhesus monkey. *J Comp Neurol* 424:233-250.
- Vanegas H, Schaible HG. 2004. Descending control of persistent pain: inhibitory or facilitatory? *Brain Res Brain Res Rev* 46:295-309.
- Vertes RP, Martin GF, Waltzer R. 1986. An autoradiographic analysis of ascending projections from the medullary reticular formation in the rat. *Neuroscience* 19:873-898.
- Vianna DM, Brandao ML. 2003. Anatomical connections of the periaqueductal gray: specific neural substrates for different kinds of fear. *Braz J Med Biol Res* 36:557-566.
- Wang SR. 2003. The nucleus isthmi and dual modulation of the receptive field of tectal neurons in non-mammals. *Brain Res Brain Res Rev* 41:13-25.
- Wiberg M, Blomqvist A. 1984a. The projection to the mesencephalon from the dorsal column nuclei. An anatomical study in the cat. *Brain Res* 311:225-244.
- Wiberg M, Blomqvist A. 1984b. The spinomesencephalic tract in the cat: its cells of origin and termination pattern as demonstrated by the intraaxonal transport method. *Brain Res* 291:1-18.
- Wiberg M, Westman J, Blomqvist A. 1986. The projection to the mesencephalon from the sensory trigeminal nuclei. An anatomical study in the cat. *Brain Res* 399:51-68.
- Wiberg M, Westman J, Blomqvist A. 1987. Somatosensory projection to the mesencephalon: an anatomical study in the monkey. *J Comp Neurol* 264:92-117.
- Willis WD, Coggeshall RE. 1991. *Sensory mechanisms of the spinal cord*. New York: Plenum Press.
- Willis WD, Coggeshall RE. 2004. *Sensory mechanisms of the spinal cord. Primary afferent neurons and the spinal dorsal horn*. New York: Kluwer Academic/Plenum Publishers.
- Willis WD, Kenshalo DR, Leonard RB. 1979. The Cells of origin of the primate spinothalamic tract. *J Comp Neurol* 188:543-574.
- Willis WD, Trevino DL, Coulter JD, Maunz RA. 1974. Responses of primate spinothalamic tract neurons to natural stimulation of hindlimb. *J Neurophysiol* 37:358-372.
- Willis WD, Zhang X, Honda CN, Giesler GJ, Jr. 2001. Projections from the marginal zone and deep dorsal horn to the ventrobasal nuclei of the primate thalamus. *Pain* 92:267-276.
- Yamazoe M, Shiosaka S, Emson PC, Tohyama M. 1985. Distribution of neuropeptide Y in the lower brainstem: an immunohistochemical analysis. *Brain Res* 335:109-120.
- Yeziński RP. 1988. Spinomesencephalic tract: projections from the lumbosacral spinal cord of the rat, cat, and monkey. *J Comp Neurol* 267:131-146.

References

- Yeziarski RP, Broton JG. 1991. Functional properties of spinomesencephalic tract (SMT) cells in the upper cervical spinal cord of the cat. *Pain* 45:187-196.
- Yeziarski RP, Mendez CM. 1991. Spinal distribution and collateral projections of rat spinomesencephalic tract cells. *Neuroscience* 44:113-130.
- Yeziarski RP, Schwartz RH. 1986. Response and receptive-field properties of spinomesencephalic tract cells in the cat. *J Neurophysiol* 55:76-96.
- Young RF, Tronnier V, Rinaldi PC. 1992. Chronic stimulation of the Kolliker-Fuse nucleus region for relief of intractable pain in humans. *J Neurosurg* 76:979-985.
- Zhang DX, Carlton SM, Sorkin LS, Willis WD. 1990. Collaterals of primate spinothalamic tract neurons to the periaqueductal gray. *J Comp Neurol* 296:277-290.
- Zhang DX, Owens CM, Willis WD. 1991. Intracellular study of electrophysiological features of primate spinothalamic tract neurons and their responses to afferent inputs. *J Neurophysiol* 65:1554-1566.
- Zhang ET, Craig AD. 1997. Morphology and distribution of spinothalamic lamina I neurons in the monkey. *J Neurosci* 17:3274-3284.
- Zhang ET, Han ZS, Craig AD. 1996. Morphological classes of spinothalamic lamina I neurons in the cat. *J Comp Neurol* 367:537-549.